


FEATURE

- Clever Valve:No more reverse for presta and schrader.
- 6063 Alum barrel.
- Ergonomic T handle for better holding.
- Telescope Design: More air per stroke.
- Lockable telescope barrel for "High Volume" and "High Pressure".
- Compact.

2 STAGE CLEVER VALVE INSTRUCTION


1. Make sure lever is on loosen position. (fig $^{
m I}$)



2. Rotate top cap to "Hv" (High Volume) stage. (fig Π)



- Insert clever valve to tire valve, clever valve can connect with either presta or schrader instant W/O switch internal parts.
- 4. Push lever down 90 degree to lock tire valve. (fig III)




- Inflate tire in telescope style.
- When tire in pressure getting high and difficult to continue inflate, rotate top cap to "Hp"(High Pressure) stage.(fig IV)



(fig IV)

- 7. Continue inflate to desired pressure.
- 8. Pull lever back 90 degree to release



FEATURE:

- Reinforced plastic barrel.
- Ergonomic T handle for better holding.
- Reverable presta and schrader.
- Telescope Design:More air per stroke.
- Light weight.
- Compact

INSTRUCTION:

- Choose right valve. Valve is easily changed by reversing rubber valve and valve adapter.
- Loosen valve cap a little. Insert valve to tire valve.
- Pull thumblock lever to lock pump onto tire valve.
- Inflate tire to desired pressure.

